

Contact MQP

Sales Enquiries:

T 01530 832 244

E sales@mqp.co.uk

Orders:

T 01530 832 222

E orders@mqp.co.uk

Technical Support Services:

T 01530 239 426

E technical@mqp.co.uk

Invoice Queries:

T 01530 831 000

E credit.control@mqp.co.uk

On Line Document Retrieval:

E mqpwebregister@mqp.co.uk

MaxiFlex is available from:



Baston Asphalt Plant



Cliffe Hill Quarry



St Ives Asphalt Plant



Wednesbury Asphalt Plant

Other MQP Locations



Clee Hill Quarry & Asphalt Plant



Ettingshall Asphalt Plant



Griff Quarry



Groby Asphalt Plant



Northampton Asphalt Plant



MQP

Head Office:

Leicester Road

Whitwick

Leicestershire LE67 5GR

T 01530 831 000

F 01530 832 299

E sales@mqp.co.uk

Focusing on service and quality

www.mqp.co.uk



MaxiFlex

Highly Flexible Road Surfacing

Focusing on service and quality

www.mqp.co.uk

MaxiFlex

Focusing On Service and Quality

MaxiFlex has been designed to provide a highly flexible, deformation resistant material for roads where cracking has been an issue and in particular for the overlay of concrete carriageways.

Benefits of MaxiFlex

MaxiFlex utilises a hardwearing aggregate and an approved EN 14023 Polymer Modified Bitumen to provide a highly flexible and deformation resistant material.

Benefits include:

- Increased fatigue resistance to improve durability.
- High deformation resistance compared to paving grade asphalt concrete.
- Design provides a dense, low texture, durable finish which reduces water ingress.
- Option to lay as individual layers or as a combined binder and surface course single layer.
- Laid using conventional paving equipment in accordance with BS 594987.
- Suitable for use within sites where reflective cracking may occur.
- Suitable for overlaying concrete providing the correct construction process is followed.

Available in the following nominal sizes:

- 20 mm
- 14 mm
- 10 mm

Advantages

Advantages of MaxiFlex

- **Single or Dual layer, single visit application**
- **Increased fatigue resistance**
- **Greater deformation resistance**
- **Reduced water ingress**
- **Greater resistance to fretting under turning**



For further information on this and our full range of products please contact the Sales Office on **T 01530 832244** or Technical on **T 01530**



Solution
for reflective
cracking.



Highly
Flexible Road
Surfacing

Accreditation

Accreditation and Standards

MQP are accredited to:

ISO 9001, 14001 and FPC to EN13108-21.

“Ideal product for overlaying concrete.”

For more
detailed
information on
MQP please see
our website
www.mqp.co.uk

Focusing on service and quality