

Contact MQP

Sales Enquiries:

T 01530 832 244

E sales@mqp.co.uk

Orders:

T 01530 832 222

E orders@mqp.co.uk

Technical Support Services:

T 01530 239 426

E technical@mqp.co.uk

Invoice Queries:

T 01530 831 000

E credit.control@mqp.co.uk

On Line Document Retrieval:

E mqpwebregister@mqp.co.uk

MaxiSmart is available from:



Baston Asphalt Plant



Cliffe Hill Quarry



St Ives Asphalt Plant



Wednesbury Asphalt Plant

Other MQP Locations



Clee Hill Quarry & Asphalt Plant



Ettingshall Asphalt Plant



Griff Quarry



Groby Asphalt Plant



Northampton Asphalt Plant



MQP

Head Office:

Leicester Road

Whitwick

Leicestershire LE67 5GR

T 01530 831 000

F 01530 832 299

E sales@mqp.co.uk

Focusing on service and quality

www.mqp.co.uk



MaxiSMArt

Optimum SMA Surfacing Solution



Focusing on Service and Quality

www.mqp.co.uk

MaxiSMArt

Focusing On Service and Quality

MaxiSMArt is an SMA based material designed to withstand the increasing demands placed by vehicles on commercial & industrial estates and high stress locations.

Benefits of MaxiSMArt

MaxiSMArt utilises an innovative combination of Stone Mastic Asphalt and an enhanced EN 14023 Polymer Modified Bitumen content. This provides flexibility and resists the deformation & rutting arising from the slower movement of heavy goods and commercial vehicles.

Benefits include:

- Improved resistance to heavy goods and commercial vehicle movements.
- Consistent mixture and surface texture.
- Increased fatigue resistance to improve durability.
- Improved deformation resistance compared to paving grade asphalt concrete.
- For use within industrial estates and slow moving highly trafficked roads.
- Laid using conventional paving equipment in accordance with BS 594987.
- Can be laid on conventional binder course dependant on end application.

Available in the following nominal sizes:

- 14 mm
- 10 mm

Advantages

Advantages of MaxiSMArt

- **Increased fatigue resistance**
- **Improved deformation resistance**
- **Enhanced resistance to heavy goods and commercial vehicle movements**
- **Greater resistance to fretting under tight turning circles**



For further information on this and our full range of products please contact the Sales Office on **T 01530 832244** or Technical on **T 01530**



Enhanced resistance to movement of heavy goods & commercial vehicles.



Optimum
SMA Surfacing
Solution

Accreditation

Accreditation and Standards

MQP are accredited to:

ISO 9001, 14001 and FPC to EN13108-21.

“We have been extremely pleased with its performance. Our clients have also commented on its durability, so much so that they have requested it's used on subsequent visits.”

For more detailed information on MQP please see our website
www.mqp.co.uk

Focusing on service and quality